| _ | Titl Vibration isolation apparatus using magnetic levitation devices | Curr nt OR 248/638 | Curr 248/550 |
|----|---|--------------------|-----------------|
| N | Active vibration isolator and exposure apparatus with the active vibration isolator, device manufacturing method | 248/550 | |
| ω | Method of recording a vibration isolation system | 700/63 | |
| 4 | Reference table tilting mechanism | 248/542 | - 1 |
| IJ | Base stabilization system | 250/548 | |
| 6 | Anti-vibration system in exposure apparatus | 355/53 | Ī |
| 7 | Vibration isolation apparatus for stage | 355/53 | |
| œ | Anti-vibration apparatus, exposure apparatus using the same, device manufacturing method, and anti-vibration method | 267/136 | |
| 9 | Active vibration isolator, exposure apparatus, xp sur meth d and d vic manufacturing m th d | 188/378 | |

| | Title | Curr nt OR | Curr nt XR |
|----|---|------------------|--------------------------|
| | | | 188/380; 244/1N; |
| | | | 244/129.1; 244/17.27; |
| | Adaptive tuned vibration absorber, system | | 244/54; |
| 17 | utilizing same and method of controlling | 188/378 | 248/550; |
| | vibration therewith | | 267/136; |
| | | | 267/140.15; |
| | | | 381/71.1; |
| | | | 415/119 |
| | Centrifugal delayed resonator pendulum | 100,010 | 248/550; |
| ď | absorber | 188/3/9 | 248/562 |
| 19 | Vibration cancellation apparatus | 248/550 | 248/638 |
| 20 | Vibration removing apparatus and method | 188/378 | 248/550; |
| 2 | Control apparatus for vertical vibration | 9/8/ 7 70 | 108/136; |
| 17 | elimination table | 248/550 | 188/378 |
| | Method and apparatus for actively | | 248/550: |
| 22 | adjusting and controlling a resonant | 188/378 | 267/136 |
| | mass-spring system | | |
| 2 | Dust misd floving scanner | 250/442_11 | 248/179.1; |
| 5 | Duai quad liexure scallier | | 33/568 |
| 24 | Device for supporting and positioning a | 248/325 | 248/122.1 |
| 1 | microscope | 110000 | |
| 25 | Active vibration control systems | 248/550 | 244/17.11 |
| | | | 248/550; |
| 26 | Active vibration isolation system | 267/136 | 267/64.16; |
| | | | 318/460 |

| 28 | 27 | |
|---|--|--------------|
| Active vibration isolation system 267/136 | Controllable damper | Titl |
| 267/136 | 52/1 | Curr nt OR |
| 248/550; 267/64.16; 318/460 | 244/75A; 248/638; 267/140.11; 52/167.1; 52/167.2 | Curr nt XR f |